The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site:
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : AC-20

Lake : Lake James

Applicant : Dale Feick

> 315 Lane 345 Lake James Angola, IN 46703-8081

Description Maintenance dredging of an existing channel for restoration on the property

described below at the southwest corner of the south (1st) basin of Lake James. The project will include dredging the existing 75ft wide, 1200ft long, u-shaped channel to a depth of 4 to 7 feet in the center, below normal water level, and sloping from the channel bottom to a depth of 2 to 2 1/2 feet at the shoreline, to improve navigation. The excavated material shall be placed within a contained upland site on the applicant's property above the shoreline for the dewatering; thereafter the material will be leveled for grass area. The average normal water level of Lake James is 964.9 feet of elevation. The channel was originally dredged and dedicated to the State of Indiana in 1947. Details of the project are

contained in information received electronically by the Division of water on June 29, 2004.

Location Northwest of Angola, Indiana along Lake James southwest corner of the lower

(1st) basin, the intersection of Bay View Road and Lane 345 (Feick Point Road).

Near Angola, Pleasant Township, Steuben County Section 4, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

Statute/Rule : Channels - Streams And Rivers Act, IC 14-29-4

Application # : FW-22825

Stream : Unnamed Tributary Lake

Shafer

Applicant : Vernon Barnett

5430 East Highchew Court Monticello, IN 47960-7366

Description : An approximate 40' wide by 40' long area of a channel to Lake Shafer will be

dredged to a depth of 4' to 5'. The dredging will be performed by a backhoe. The excavated material will be spread in an upland area on the property. Adequate detention time will be provided to allow suspended sediments to settle out of the

decanted water before returning the water to the stream. Also, an existing

drainage tile will be removed and riprap will be placed to create an open drainage ditch for nearby farm fields. Details of the project are contained in information and plans received at the Division of Water on April 8, 2004, and June 3, 2004.

Location : 5430 East Highchew Court; approximately 1100' west of East Shafer Drive and

approximately 4200' north of the Norway Dam near Monticello, Union Township, White County

NW¼, SW¼, NE¼, Section 16, T 27N, R 3W, Monticello North Quadrangle

Quad Code: 4008677

UTM Coordinates: Downstream 4515511 North, 519941 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22888

Stream : Little Kankakee River

Applicant : LaPorte County Drainage Board

Christine J Keil Courthouse

813 Lincolnway, Suite 101 LaPorte, IN 46350-3400

Description

Brush and small trees will be removed leaving the stumps in place cut flush with the ground. Tordon will be applied to the stumps to prevent future growth. Tree and brush removal will be preformed on both sides. Logjams and all debris will be removed from the channel. Approximately 1' to 2' of sediment will be removed down to the original channel bottom. Excavation will be done from one side. All brush, trees, and debris will be piled and leveled in the outer parts of the 75' regulated drain easement. The piled trees and debris will be the property owner's responsibility. No material of any type will be deposited in any adjacent wetlands or floodway. Details of the project are contained in information and plans

received at the Division of Water on May 11, 2004.

Location

The project would begin at the mouth of the Little Kankakee River and continue upstream for about four miles to the intersection of the Grand Truck Railroad DOWNSTREAM: near Stillwell, Lincoln Township, LaPorte County

NW¼, NE¼, NE¼, Section 33, T 36N, R 1W, Stillwell Quadrangle

Quad Code: 4108655

UTM Coordinates: Downstream 4597866 North, 539405 East UPSTREAM: NW¼, SW¼, SE¼, Section 18, T 36N, R 1W

UTM Coordinates: Upstream 4601491 North, 535776 East

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22900

Stream : West Fork White River

Applicant : Starlight Leasing

Eldon Weber PO Box 837

Zionsville, IN 46077-0837

Description : A sand and gravel operation will be constructed in the floodway. Two areas,

measuring approximately 500' x 1500' and 1200' x 1000', will be excavated. A 150' wide buffer zone will be maintained along the overbank for the entire length of the project. In addition, an approximately 1000' long x 20' high topsoil stockpile and a materials separator area will be constructed in the floodway. Existing buildings at the site will be used for offices and storage of equipment. Details of the project are contained in information and plans received at the Division of

Water on May 19, 2004, June 24, 2004 and June 28, 2004.

Location : Along the left (southeast) overbank, beginning just downstream of the confluence

with Crooked Creek and continuing downstream approximately 2230' DOWNSTREAM: near Martinsville, Harrison Township, Morgan County

SE¼, Section 33, T 13N, R 2E, Mooresville East Quadrangle

Quad Code: 3908653

UTM Coordinates: Downstream 4374325 North, 558770 East

UPSTREAM:

UTM Coordinates: Upstream 4374765 North, 559255 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22919

Stream : Ohio River

Applicant : Indiana Port Commission

John W Hughes, PE

Indiana's International Port 6625 South Boundary Road Portage, IN 46368-1280

Description : A barge repair and cleaning facility is to be relocated from the harbor area of the

Southwind Maritime Center to a location along the downstream end of the Port on

the Ohio River. Four (4) steel pipe pile dolphins filled with concrete will be

constructed and five (5) barges will be moored to the dolphins for use for storage, a crane, office and dry dock. The work and office barges will be accessed from the shore of the river by two (2) walkways. No dredging or fill material will be

necessary. An existing dike area will be used for parking and staging of

materials. Details of the project are contained in plans and information received

at the Division of Water on June 7, 2004.

Location : Along approximately 765' of the right (north) bank of the river approximately 4800'

downstream of the present confluence of McFadden Creek, at the Southwind

Maritime Center

DOWNSTREAM: near Mt. Vernon, Black Township, Posey County W½, W½, Section 9, T 7S, R 13W, Mount Vernon, IN-KY Quadrangle

Quad Code: 3708788

UTM Coordinates: Downstream 4197996 North, 421975 East

UPSTREAM:

UTM Coordinates: Upstream 4197996 North, 422200 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22923

Stream : Patoka River

Applicant : ROJAC

Dave Buehler

1100 West 12th Avenue Jasper, IN 47546-8150

Description : A mill building and water wheel are to be constructed as a replica of and at the

location of the original mill. The project includes construction of a pier in the river as a supporting structure for the water wheel. Details of the project are contained

in plans and information received at the Division of Water on June 7, 2004.

Location : On the left (southeast) bank of the Patoka River immediately downstream of the

State Road 162 (3rd Avenue) bridge and between the low head dam across the

river and the pedestrian bridge across the river

DOWNSTREAM: at Jasper, Bainbridge Township, Dubois County SW¼, SE¼, NE¼, Section 35, T 1S, R 5W, Jasper Quadrangle

Quad Code: 3808648

UTM Coordinates: Downstream 4248570 North, 506305 East

UPSTREAM:

UTM Coordinates: Upstream 4248575 North, 506310 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22938

Stream : Unnamed Tributary Horn

Ditch

Applicant : City of Goshen

Robert McCoige 204 E. Jefferson St. Goshen, IN 46528

Description : A new corrugated alluminum alloy culvert pipe crossing will be placed to carry the

extension of the existing Century Drive roadway across the ditch to the roadway connection to County Road 38. The proposed culvert pipe is 180' in length, 95" span and 67" rise with riprap over geotextiles at both pipe ends for erosion control. Approximately 17 CYD of cut is involved along the ditch bottom for placement of the culvert and the riprap. Above the floodway, between approximate elevations of 811.0' and 816.0', approximately 120 CYD of fill is to

approximate elevations of 811.0' and 816.0', approximately 120 CYD of fill is to be placed over the culvert pipe. Details of the project are contained in information received at the Division of Water on May 17, 2004 and in plans and information

received at the Division of Water on May 24, 2004.

Location : Approximately 425' upstream at the confluence of Horn Ditch and continuing

upstream approximately 180'

DOWNSTREAM: near Goshen, Elkhart Township, Elkhart County

S½, SE¼, Section 24, T 36N, R 6E, Goshen Quadrangle

Quad Code: 4108557

UTM Coordinates: Downstream 4600555 North, 602110 East

UPSTREAM:

UTM Coordinates: Upstream 4600505 North, 602165 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22947

Stream : Junk Ditch

Applicant : Dino Zurzolo

2440 West Jefferson Boulevard Fort Wayne, IN 46804-4639

Description : An 18.5' x 24.5' two story addition will be constructed on the north end of the

existing commercial building. The addition will be constructed to match the elevation of the existing structure. Details of the project are contained in information and plans received at the Division of Water on June 21, 2004.

Location : Approximately 200' east and 100' north of the Jefferson Boulevard stream

crossing

near Fort Wayne, Wayne Township, Allen County

SW1/4, Section 4, T 30N, R 12E, Fort Wayne West Quadrangle

Quad Code: 4108512

UTM Coordinates: Downstream 4548405 North, 653539 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22953

Stream : Crooked Creek

Applicant : Starlight Leasing

Eldon Weber PO Box 837

Zionsville, IN 46077-0837

Description : A sand and gravel operation will be constructed in the floodway. Two areas,

measuring approximately 500' x 1500' and 1200' x 1000', will be excavated. A 150' wide buffer zone will be maintained along the overbank for the entire length of the project. In addition, an approximately 1000' long x 20' high topsoil stockpile and a materials separator area will be constructed in the floodway. Existing buildings at the site will be used for offices and storage of equipment. Details of the project are contained in information and plans received at the Division of

Water on May 19, 2004.

Location : Along the left (southeast) overbank, beginning just downstream of the confluence

with Crooked Creek and continuing downstream approximately 2230'

DOWNSTREAM: near Martinsville, Harrison Township, Morgan County

SE1/4, Section 33, T 13N, R 2E, Mooresville East Quadrangle

Quad Code: 3908653

UTM Coordinates: Downstream 4374325 North, 558770 East

UPSTREAM:

UTM Coordinates: Upstream 4374765 North, 559255 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22956

Stream : Silver Creek

Applicant : Floyd County Board of Commissioners

Gordon F Martin County Engineer 311 West 1st Street New Albany, IN 47150

Description : This project involves rehabilitation of Floyd County Bridge No. 70. The deck of the

existing four-span bridge carrying Spring Street over Silver Creek will be widened

from 20.2 feet to 24 feet clear roadway. There will be no substructure work performed. The approach roads will not be raised. Riprap will be placed in the eroded areas under the bridge. All work in the channel will be above Ordinary High Water (OHW). This project is receiving federal historic bridge funding. Details of the project are contained in information received electronically at the

Division of Water on June 25, 2004.

Location : The project is located in Clarks Military Grant No. 29, City of New Albany, New

Albany Township, Floyd County, Indiana, and Jeffersonville Township, Clark

County, Indiana. The structure carries Spring Street over Silver Creek, approximately 1 mile northeast of Vincennes Street in New Albany.

At New Albany, New Albany Township, Floyd County Clark Military Grant #29, New Albany, IN-KY Quadrangle

Quad Code: 3808537

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22957

Stream : Silver Creek

Applicant : City of Decatur

Anne Butcher

1309 North Monmouth Road Decatur, IN 46733-1195

Description

: A new stormwater outfall will be constructed at elev. 775.00 on the west bank of St. Mary's River in the City of Decatur. A 48" outfall will be constructed to separate stormwater from the City's existing combined sewer system. The system consists of approx. 22,000 LF of 8"-48" storm sewer connected to existing inlets. Upstream of the new outfall a BMP structure will be installed. The outfall of the pipe will consist of a new concrete headwall basically conforming to the sloped bank. Due to the severity of the slope, some regrading will be done to slope 3:1 to the new headwall. An energy dissipator will be constructed in the structure immediately upstream of the headwall, consisting of a steppped structure. A pinch valve will be installed on the outfall. Approx. 24 yd^3 of dumped rip-rap placed of geotextile fabric will be installed from the headwall to the river's edge. Details of the project are contained in information received electroncially at the Division of Water on June 25, 2004.

Location

: Along the west bank of St. Mary's River; loacted 460' soth of US 224 (Monroe St.) in Decatur, Wahington Twonship, Adams County, Indiana.

SW 1/4, NE 1/4, NE 1/4, Section 3, T27N, R14E, Decatur Quadrangle.

at Decatur, Washington Township, Adams County Section 3, T 27N, R 14E, Decatur Quadrangle

Quad Code: 4008478

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22958

Stream : St. Marys River

Applicant : City of Decatur

Anne Butcher

1309 North Monmouth Road Decatur, IN 46733-1195

Description : A 16" ductile iron force main will be constructed under St. Mary's River by open

cut due to the presence of shallow bedrock. The force main is being installed to upgrade the City's main sanitary sewer lift station. The force main will be installed with approximately 1' of cover. Details of the project are contained in information

received electronically at the Division of Water on June 25, 2004.

Location : Crossing the St. Mary's River north-south along the east side of Monmouth Road

approximately 1400' north of US 24/33 along St. Mary's River.

1/4 SW, 1/4 NW, 1/4 NE, Section 34, T28N, R14E, Decatur Quadrangle

At Decatur, Washington Township, Adams County Section 34, T 28N, R 14E, Decatur Quadrangle

Quad Code: 4008478

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-22963

Stream : Haw Creek

Applicant : Columbus City Utilities

Ed Bergsieker

1111 McClure Road

PO Box 1987

Columbus, IN 47202-1987

Description : A 16 inch diameter ductile iron line (will be) placed beneath Haw Creek to provide

Water. The line (will be) placed by the open excavation method. It (will have) 4 ft of cover beneath the streambed and 4 ft in the banks. Details of the project are contained in information received electronically at the Division of Water on June

29. 2004.

Location : Approximately due West of County Road 300 North at Haw Creek in

Bartholomew County, Columbu Indiana.

At Columbus, Columbus Township, Bartholomew County

Section 5, T 9N, R 6E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-19888

Lake : Jones Lake

Applicant : Richard A Goble

10549 Oak Knoll Road Rome City, IN 46784-9730

Description : A 30' x 30' underwater beach will be constructed across 30' of the applicant's 100'

frontage by placing a uniform 6" layer of pea gravel on the lakebed.

Details of the project are contained in information and plans received at the

Division of Water on June 24, 2004.

Location : 10549 Oak Knoll, lots 2, 3, 4, 5, 6, and 7

near Rome City, Elkhart Township, Noble County

SE1/4, SW1/4, Section 7, T 35N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19889

Lake : Big Turkey Lake

Applicant : Stephen R Wyatt

11520 East 335 South LaGrange, IN 46761-9549

Description : I wish to install a vinyl seawall, starting even with the southwest corner of my

neighbor's seawall, and run about 39 feet west, with east return being about 10 feet, and the west return being about 14 feet. The seawall would be installes by Burke's Vinyl Seawall & Retaining Walls, 12580 Rainey Road West, Syracuse, IN

46567, (574) 457-2222. Details of the project are contained in information

received electronically at the Division of Water on June 25, 2004.

Location : Lot Numbers 64 and 65 in Oak Lodge Subdivision, located in the fractional

Northeast Quarter of Section 12, Township 36 North, Range 11 East, adjoining

Big Turkey Lake.

Near Stroh, Milford Township, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11